
CERTIFICATE OF APPROVAL
No. ME0041

This is to certify that the referenced product of

Comtuer Zentrale Weimann GmbH

Wannenaeckerstr. 73, 74078 Heilbronn, Germany
Tel: + 49-7131-262225 Fax: + 49-7131-262220

has been assessed against the requirements of the *warringtonfire - mideast certification scheme* and is approved for use within the scope of the test and/or assessment report(s) referenced.

Comtuer Zentrale Weimann GmbH 'COMFIRE BS-30' Doorsets

**30 Minutes Integrity & insulation Performance In Accordance With
BS 476: Part 22: 1987**

Test And Assessment Report Reference	Valid Until
WF Report No. 156870	Until 1 st August 2011

COMFIRE BS-30 DOORSETS	
Construction	Timber based leaves and frames
Maximum leaf dimensions	2810 mm high and 1278 mm wide subject to a maximum area of 2.99 m ²
Configuration	Single-acting, single-leaf, latched

Certification is awarded on the basis of initial type testing to BS 476: Part 22: 1987, initial inspection and ongoing surveillance of factory production control, and ongoing compliance with the scheme requirements including the use of labels supplied by warringtonfire. The currency of the certification may be verified at www.warringtonfire.net/mideast.

Signed and sealed for and on behalf of Warrington Certification



Kenneth J Knight
Chairman - Management Council
Page 1 of 1

Issued: 24th August 2006
Valid to: 23rd August 2011